Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	223	(generat\$3 visual representation charact\$6 information or style definition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 13:24
S2	75	(generat\$3 visual representation charact\$6 information or rend\$5 engine displ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 13:27
<b>S3</b>	554	generat\$3 visual representation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 13:28
S4	1	tree assemb\$4 mod\$5 near15 generat\$3 visual representation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 13:32
S5	6203787	bind\$3 module near15 plurality or multi or multiple or multiplicity or multitude or many or group or grouping or variety or various or several data view or (field adj2 view)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 13:37
S6	197	S1 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 14:20
<b>S7</b>	7	S6 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 14:15
S8	8	S6 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:31
S9	150	S6 and (@pd<"20031118" or @ad<"20031118" or @prad<"20031118" or @rlad<"20031118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 15:30

S11	186	associat\$3 shared set near5 information with two or more objects displ\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:11
\$1 <u>2</u>	2	S10 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:02
S13	166	S5 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:11
S14	73	"35" and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:05
S15	3	S3 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:04
S16	541	715/762.ccls	US-PGPUB; USPAT; ERO; JPO; DERWENT; IBM_TDB	ADJ	ON	.2006/12/28 16:22.
S17	6	S1 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:23
<b>S18</b>	647541	((associate or associated or associating or association or relate or related or relating or relation or relationship or anchor or anchored or anchoring or link or linked or linking or connect or connected or connecting or connection or connectable) near5 (visual style information same data or content or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28:16:36
S19	2914030	S18 and bind\$3 module with generat\$3 visual style definitions or represent\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:43

_						
S20	47812	S18 and layout engine provid\$3 additional user interface or gui	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:48
S21	22251	S20 and tree assembl\$3 module near5 generat\$3 visual or graphic representation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:51
S22	779	S20 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON .	2006/12/28 16:52
S23	* 1	S22 and lookup module near5 locat\$3 associat\$3 visual style definition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:57
S24	0	S22 and pluarility or multitude objects display\$3 near list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:56
S25	0	S22 and pluarility or multitude objects display\$3 near menu	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:56
S26	0	S22 and pluarility or multitude objects display\$3 near combination box	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:57
S27		S22 and binding properties	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/12/28 16:58
S28	2160	(gui or user interfac\$) same (render\$3 or display\$3) near3 data same object	US-PGPUB; USPAT	ADJ	ON	2007/01/04 10:25
S29	1922	style near3 (visual or definit\$3 or lookup or appropriate)	US-PGPUB; USPAT	ADJ	ON	2007/01/04 10:26
S30	10035	tree near3 (visual or assembl\$3 or generat\$3)	US-PGPUB; USPAT	ADJ	ON	2007/01/04 10:28
S31	4915413	(associat\$3 or combin\$3 or bind\$3 or link or relat\$3 or connect\$3)	US-PGPÜB; USPAT	ADJ	ON	2007/01/04 10:30

		EAST Scarce				
S32	62	S28 and S29	US-PGPUB; USPAT	ADJ	ON	2007/01/04 10:47
S33	9964	S30 and S31	US-PGPUB; USPAT	ADJ	ON .	2007/01/04 10:32
S34	10	S32 and S33	US-PGPUB; USPAT	ADJ	ON	2007/01/04 15:50
S35	898341	(receiv\$3 or communicat\$3 or transmit\$) same (locat\$ near5 appropriate visual style or	US-PGPUB; USPAT	ADJ	ON	2007/01/04 15:55
		generat\$3 )	u, d,	12.	Charles of	The second of th
S36	. 1	(binding near5 visual tree near3 data) same (render\$3 or create or compos\$3 or display\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/04 15:59
S37	740965	(binding or link or associat\$3 or connect\$3 near5 visual tree near3 data) same (render\$3 or create or compos\$3 or display\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ *	ON	2007/01/04 16:00
S38	178702	S35 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON .	2007/01/04 16:01
<b>S39</b>	543	715/762.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/04 16:02
S40	223	S38 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/04 16:02
S41	228	(generat\$3 visual representation charact\$6 information or style definition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/04 16:04
S42	6212028	bind\$3 module near15 plurality or multi or multiple or multiplicity or multitude or many or group or grouping or variety or various or several data view or (field adj2 view)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/04 16:04

S43	202	S41 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/04 16:04
S44	151	S43 and (@pd<"20031118" or @ad<"20031118" or @prad<"20031118" or @rlad<"20031118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ		2007/01/04 16:06
S45	199	S40 and (@pd<"20031118" or @ad<"20031118" or @prad<"20031118" or @rlad<"20031118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/04 16:07

US 20040163048 A1 US-PGPUB	US-PGPUB	20040819	20040819 19 System and method for capturing document style by example	715/517		McKnight, David K. et al.	1 PGPubs Full Image	US 20040163048
US 20060168518 A1 US-PGPUB	US-PGPUB	20060727	20060727 13 System and method for rapid creation and display of stylized digital content tlems	715/517	715/517 715/513; 715/530	Tischer, Steven Nell	1 PGPubs Full Image	US 20060168518
US 5832481 A	USPAT	19981103	39 Reuseable and modifiable interface object	707/4		Sheffield; Kim A.	1 US Full Image	US 5832481
US 6330007 B1	USPAT	20011211	20011211 48 Graphical user Interface (GUI) prototyping and specification tool	715/762	715/501.1; 715/513; 715/764; 715/765; 717/123	Isreal; Jack B. et al.	1 US Fuli image	US 6330007
US 5950001 A	USPAT	19990907	12 Method and apparatus for customizing a software component	717/107	707/102; 707/3; 715/744; 715/762; 715/868; 717/110; 717/1 Hamilton; Graham et al.	/1 Hamilton; Graham et al.	1 US Full Image	US 5850001
US 20050081162 A1 US-PGPUB	US-PGPUB	20050414	33 Binary cache file format for themeing the visual appearance of a computer system	715/765	345/581; 715/517; 715/700; 715/723	Femandez, Roland L. et al.	1 PGPubs Full Image	US 20050081162
US 20040153992 A1 US-PGPUB	US-PGPUB	20040805	20040805 88 Method and apparatus for automatic generation of information system user interfaces	717/105	715/762; 717/109; 719/328	Molina-Moreno, Pedro Juan et 1 PGPubs Full Image	1 PGPubs Full Image	US 20040153992
US 20040015841 A1 US-PGPUB	US-PGPUB	20040122	20040122 19 Software development tool employing workflows for developing user interactive programs	717/109	717/113	Lepejian, Yervant D. et al.	1 PGPubs Full Image	US 20040015841
US 7017145 B2	USPAT	20060321	20060321 21 Method, system, and program for generating a user interface	717/104	717/105; 717/109	Taytor, Julian S.	1 US Full Image	US 7017145
US 20040233232 A1 US-PGPUB	US-PGPUB	20041125	60 Automatic software production system	715/700		Ibота, Jose et al.	1 PGPubs Full Image	US 20040233232
US 5760773 A	USPAT	19980602	33 Methods and apparatus for interacting with data objects using action handles	715/808	715/808 · 345/872; 715/821; 715/860	Berman; Eric Robert et al.	1 US Full Image	US 5760773
US 6753885 B2	USPAT	20040622	20040822 16 System and theme file format for creating visual styles	715/762	707/102; 707/103R; 715/853	Stoakley; Richard W. et al.	1 US Full Image	US 6753885
US 5860073 A	USPAT	19990112	19990112 44 Style sheets for publishing system	715/522	715/513; 715/516; 715/528	Ferrel; Patrick J. et al.	1 US Full Image	US 5860073
US 20040117387 A1 US-PGPUB	US-PGPUB	20040817	20040817 106 Database sizing and diagnostic utility	707/100		Civetta, Vincent et al.	1 PGPubs Full Image	US 20040117387
US 20020073343 A1 US-PGPUB	US-PGPUB	20020613	20020613 7 Integrated internet messenger system and method	728/3		Ziskind, Benjamin H. et al.	1 PGPubs Full Image	US 20020073343
US 20030146941 A1 US-PGPUB	US-PGPUB	20030807	13 Systems and methods for creating and managing graphical user interface lists	715/830		Balley, Richard St. Clair et al.	1 PGPubs Full Image	US 20030146941
US 6873337 B1	USPAT	20050328	15 Application programming interface for changing the visual style	345/581	345/501; 345/522; 715/700	Femandez; Rotand L. et al.	1 US Full Image	US 6873337
US 7137102 B2	USPAT	20061114	20061114 22 Program development device utilizing component, program development method and medium	117/121	715/810; 717/109; 717/113	lizuka; Kunihiko	1 US Full Image	US 7137102
US 20030103085 A1 US-PGPUB	US-PGPUB	20030805	20030605 13 User interface display system providing user interactive image elements	715/810		Anuszewski, David et at.	1 PGPubs Full Image	US 20030103085
US 6978422 B1	USPAT	20051220	20051220 20 Methods and apparatus for displaying managed resource information	715/734	715/734 708/223; 715/735; 715/736	Bushe; Michael Patrick et al.	1 US Full Image	US 6978422